

SJ PRSSM-LD







DIAPHRAGM LOW PRESSURE METER

Diaphragm Low Pressure Gauge

Model: PRSSM-LD

Product Description

- Corrugated diaphragm design used for measuring small pressure ranges within corrosive, crystalized or viscous pressure media
- Pressure connections include threaded and flange mounting options, or electric contacts
- Suitable for applications in the chemical, petrochemical, oil and gas industries as well as power engineering



Fig. left: Male thread with contacts Fig. middle: Flange type Fig. right: Male thread

Product Specification

Connection location

Male thread, male thread with contacts, flange type, flange type with contact

Nominal size

4", 6"

Scale ranges

0 ... 1 kPa to 0 ... 60 kPa or other equivalent units of pressure, vacuum or compound

Accuracy

±2.5% F.S. (standard), ±1.6% F.S.

Ambient temperature

-20°C ... 60°C

Medium temperature

Maximum +100°C

Case/Ring

Stainless steel

Window

Glass, safety glass

Dial

Aluminum alloy, black scale on white

Pointer


Black aluminum alloy


Sensor element


316L SS (standard), hastelloy alloy, PTFE



Connection location









Connection location						
NS	А	В	С			
4"	V	V	V			

Dimensions




Dimensions (mm)										
NS	Scale range	1	2	3	4	(5)	6	7	8	9
4"	≤ 0.25 bar	160	15.5	49.5	101	99	17.5	1/2"	119	22
4	> 0.25 bar	100	15.5	49.5	101	99	17.5	1/2"	117	22

Dimensions



Dimensions (mm)							
NS	① ② ③ ④ ⑤						
4"	250	150.2	87.7	101.5	75.3		

Dimensions



Dimensions (mm)								
NS	1	2	3	4	(5)	6	7	
4"	101	22.5	20.3	16	110	161.5	50	
NS	8	9	100	<u>(1)</u>	12	13	14	
4"	99	216	14.2	36.3	51	26	78	

101	~ I	•	• •	
X.	()rdc	NINA	Intol	mation
	VIU	HIII	IIIIVI	mation

Model / Connection location / Nominal size / Scale range / Options

For any changes to the specifications of this catalogue, the latest version shall prevail.







MEXICO BRANCH OFFICE

Roberto Diaz No. 401 Ciudad Industrial Aguascalientes, Ags. México 20290

4ManPro@4ManPro.com (449) 171 3420 www.4ManPro.com/SPA/



USA BRANCH OFFICE Pennzoil Place 700 Milam

Pennzoil Place 700 Milam Suite 1300 Houston, Tx, USA 77002

4ManPro-USA@4ManPro.com +1 (832) 871 5022 www.4ManPro.com/ENG/

Aemente For Manufacturing Proceedes

For any changes to the specifications of this catalogue , the latest version shall prevail. Copyright © 12/2019 by SIN JIA ENTERPRISE COMPANY LIMITED. All rights reserved.

