





# 20 Terminal head type

201 General type

202 Fitting type

203 Neck extension type

204 Flange type



# Codes for custom order configurations



20-					
<b>Model</b>					
1					
2					
3					
4					
<b>Type</b>					
K					
J					
E					
T					
4-20mA					
<b>Element/Quantity</b>					
1: Single element					
2: Dual element					
3: Triple element					
<b>Junction Box</b>					
A: KNC					
B: KSC					
C: KB					
D: KBS					
E: KT					
F: TN					
G: TS					
H: KI					
<b>Thread</b>		<b>Flanged</b>			
0: None		1: 1/2" 10K			
2: 1/4" PT		2: 3/4" 10K			
3: 3/8" PT		3: 1" 10K			
4: 1/2" PT		4: 1/2" 150#			
6: 3/4" PT		5: 3/4" 150#			
7: 1" PT		6: 1" 150#			
8: Other		7: Other			
<b>Tube diameter</b>					
3.2D					
4.0D					
4.8D					
5.0D					
6.0D					
6.4D					
8.0D					
9.6D					
10.0D					
12.7D					
13.0D					
15.0D					
16.0D					
17.0D					
21.7D					
<b>Insertion length</b>					
50mm					
100mm					
150mm					
200mm					
Other					
<b>Material</b>					
A: SUS304					
B: SUS316					
C: SUS310					
D: Ceramic 610					
E: Ceramic 710					
F: Inconel					
G: Titanium tube					



# rsIMAC

*Elementos For Manufacturing Processes*



## **MEXICO BRANCH OFFICE**

Roberto Diaz No. 401  
Ciudad Industrial  
Aguascalientes, Ags.  
México  
20290

[4ManPro@4ManPro.com](mailto:4ManPro@4ManPro.com)

+52 (449) 171 3420

[www.4ManPro.com/SPA/](http://www.4ManPro.com/SPA/)

## **USA BRANCH OFFICE**

708 Main St.  
10<sup>th</sup> Floor  
Houston, Tx, USA  
77002

[4ManPro\\_USA@4ManPro.com](mailto:4ManPro_USA@4ManPro.com)

+1 (832) 871 5022

[www.4ManPro.com/ENG/](http://www.4ManPro.com/ENG/)