




# 30 Sheath type

301 Lead wire type

302 Socket type



# Codes for custom order configurations



	30-							
<b>Model</b>								
	1							
	2							
<b>Type</b>								
	K							
	J							
	E							
	T							
<b>Element/Quantity</b>								
	1: Single element							
	2: Dual element							
<b>Tube diameter</b>								
	1.0D							
	1.6D							
	2.3D							
	3.2D							
	4.8D							
	6.4D							
	8.0D							
<b>Insertion length</b>								
	50mm							
	100mm							
	150mm							
	Other							
<b>Thread</b>								
	0: 1/8" FPT							
	1: 1/4" FPT							
	2: 1/4" PT							
	3: 3/8" PT							
	4: 1/2" PT							
	5: Connection tube							
	6: Small plug							
	7: Big plug							
	8: Other							
<b>Wire length</b>								
	0: 0							
	1: 1M							
	2: 2M							
	3: 3M							
	4: 4M							
	5: Other							
<b>Wire material</b>								
	1: Cable							
	2: PVC							
	3: Teflon							
	4: Glass fiber							
<b>Material</b>								
	A: SUS316							
	B: Inconel							



# rsIMAC

*Elementos For Manufacturing Purposes*



## **MEXICO BRANCH OFFICE**

Roberto Diaz No. 401  
Ciudad Industrial  
Aguascalientes, Ags.  
México  
20290

[4ManPro@4ManPro.com](mailto:4ManPro@4ManPro.com)  
+52 (449) 171 3420  
[www.4ManPro.com/SPA/](http://www.4ManPro.com/SPA/)

## **USA BRANCH OFFICE**

708 Main St.  
10<sup>th</sup> Floor  
Houston, Tx, USA  
77002

[4ManPro\\_USA@4ManPro.com](mailto:4ManPro_USA@4ManPro.com)  
+1 (832) 871 5022  
[www.4ManPro.com/ENG/](http://www.4ManPro.com/ENG/)