




# 50 RTD Lead wire type

501 Screw-in type

502 Inseration type

503 Bayonet type



# Codes for custom order configurations



50-	
<b>Model</b>	
1	
2	
3	
<b>Element/Quantity</b>	
1: Single element	
2: Dual element	
<b>Output Signal</b>	
JIS PT100	
DIN PT100	
DIN PT500	
DIN PT1000	
JIS PT100(A)	
DIN PT100(A)	
<b>Tube diameter</b>	
3.2D	
4.0D	
5.0D	
6.0D	
6.4D	
8.0D	
9.6D	
12.7D	
<b>Tube length</b>	
50mm	
100mm	
150mm	
200mm	
Other	
<b>Thread</b>	<b>Connection</b>
A: Mid thread	1: None
B: 1/4" 20UNC	2: heat shrink tubing
C: M6x1.0	3: Spring
D: M8x1.25	4: 8Ø Connection tube+Spring
E: M10x1.5	5: 12Ø Connection tube+Spring
F: M12x1.5	6: 12.5Ø(single)Buckle
G: 5/16" 18UNC	7: 12.5Ø(double)Buckle
H: 5/16" 24UNF	8: 15Ø(double)Buckle
I: 1/4" PT	
J: 3/8" PT	
K: 1/2" PT	
L: 3/4" PT	
<b>Wire length</b>	
1: 1M	
2: 2M	
3: 3M	
4: 4M	
5: 5M	
6: Other	
<b>Wire material</b>	
1: PVC	
2: Cable	
3: Teflon	
4: Other	
<b>Material</b>	
A: SUS304	
B: SUS316	
C: Titanium tube	
D: Teflon	



# rsIMMA

*Elementos For Manufacturing Purposes*



## **MEXICO BRANCH OFFICE**

Roberto Diaz No. 401  
Ciudad Industrial  
Aguascalientes, Ags.  
México  
20290

[4ManPro@4ManPro.com](mailto:4ManPro@4ManPro.com)

+52 (449) 171 3420

[www.4ManPro.com/SPA/](http://www.4ManPro.com/SPA/)

## **USA BRANCH OFFICE**

708 Main St.  
10<sup>th</sup> Floor  
Houston, Tx, USA  
77002

[4ManPro\\_USA@4ManPro.com](mailto:4ManPro_USA@4ManPro.com)

+1 (832) 871 5022

[www.4ManPro.com/ENG/](http://www.4ManPro.com/ENG/)