



SJ DIT-PPS

CONEXIÓN
CON
CUERDA
PP



Threaded Connection, PP

Model: DIT-PPS

Product Description

- Could be integrated with a pointer, digital manometer or transmitter
- Suitable for measuring acidic fluids, which are compatible with Viton
- Suitable for circuit board equipment, the petrochemical industry, etc.



Product Specification

Scale ranges

Pressure gauge:

0 ... 1 bar to 0 ... 20 bar, or all other equivalent pressure ranges

Digital pressure gauge, pressure transmitter:

0 ... 1 bar to 0 ... 20 bar, or all other equivalent vacuum or combined pressure and vacuum ranges

Process connection

Female; 1/2" PT

Instrument connection

G 1/4

Material


Body: Polypropylene, black

Diaphragm: Viton

Medium temperature

0°C ... 60°C

Dimensions



※ Ordering information

Model / Connection location / Nominal size / Scale range / Options

For any changes to the specifications of this catalogue, the latest version shall prevail.

SIN JIA ENTERPRISE COMPANY LIMITED

TEL:+886-2-2550-4512

FAX:+886-2-2550-4510

info@sinjiagauge.com

www.sj-gauge.com

No.3, Ln. 71, Chifeng St., Datong Dist., Taipei City 103, Taiwan



4ManPro

*Elements For
Manufacturing Processes*



4ManPro
Mexico Branch Office

Elements For Manufacturing Processes

MEXICO BRANCH OFFICE

Roberto Diaz No. 401
Ciudad Industrial
Aguascalientes, Ags.
México
20290

4ManPro@4ManPro.com
(449) 171 3420
www.4ManPro.com/SPA/



USA BRANCH OFFICE

Pennzoil Place
700 Milam
Suite 1300
Houston, Tx, USA
77002

4ManPro-USA@4ManPro.com
+1 (832) 871 5022
www.4ManPro.com/ENG/

*Elements For
Manufacturing Processes*

For any changes to the specifications of this catalogue , the latest version shall prevail.

Copyright © 12/2019 by SIN JIA ENTERPRISE COMPANY LIMITED. All rights reserved.

