



SJ PRD-DP

MEDIDOR DE
PRESIÓN DE
DIAFRAGMA
DOBLE PP



Double Sided PP Diaphragm Pressure Gauge

Model: PRD-DP

Product Description

- Double sided display facilitating observation and operation
- LCD monitor with backlight, beneficial to long-term monitoring
- Corrosion resistance on both case and wetted part, generally used in the PCB industry



Product Specification

Nominal size

3"

Scale ranges

0 ... 2 MPa or other equivalent units of pressure, vacuum or compound

Pressure units

MPa, kg/cm², bar, psi, mmH₂O, kPa, Pa, inWC, mbar, mH₂O, inHg, mmHg, Torr (Up to 8 units can be switched, if not specified, the engineer will select it according to the pressure range)

Accuracy

±1.0% F.S.

Process connection

Thread: nylon; core: zirconia
G1/2 (F)

Case/Ring

Nylon

Panel

Acrylic

Medium temperature

-35°C ... 60°C

Display

5.5 digits

LCD switchable backlight button

Product Specification


Response time

18 times/sec

Voltage supply

External power supply DC5V

Dimensions



※ **Ordering information**
Model / Scale range / Options

For any changes to the specifications of this catalogue, the latest version shall prevail.



4ManPro

*Elements For
Manufacturing Processes*



4ManPro
Mexico Branch Office

Elements For Manufacturing Processes

MEXICO BRANCH OFFICE

Roberto Diaz No. 401
Ciudad Industrial
Aguascalientes, Ags.
México
20290

4ManPro@4ManPro.com
(449) 171 3420
www.4ManPro.com/SPA/



USA BRANCH OFFICE

Pennzoil Place
700 Milam
Suite 1300
Houston, Tx, USA
77002

4ManPro-USA@4ManPro.com
+1 (832) 871 5022
www.4ManPro.com/ENG/

*Elements For
Manufacturing Processes*

For any changes to the specifications of this catalogue , the latest version shall prevail.

Copyright © 12/2019 by SIN JIA ENTERPRISE COMPANY LIMITED. All rights reserved.

